Design Process

CS 347 Maneesh Agrawala

Announcements

Commentaries: engage with the core contributions —

Step I (Reflection): State the main point but then reflect on why the ideas in the reading made sense from the authors' perspectives.

Step 2 (Synthesis): How does the idea relate to your experiences today. How effectively does it convince you of that argument? **How could the argument be even more persuasive, on its own terms?**

Step 3 (Future work): What are the implications of the argument? **Given the** ideas presented in the paper, what would you want to work on, or how would you modify those ideas?

Discussants: turn in metacommentaries before lecture (not before section)

Last time

Cognitive accounts can explain many challenges we face in design:

Design fixation: unnecessarily focusing on a subset of the design space

They can also help us be precise about how to improve design:

Gulfs of execution & evaluation: what needs to be reduced?

Analogical transfer: what do we see as related inspiration?

Today

Wicked problems

Strategies for managing wicked problems

Participatory design

Design patterns

Strategies for managing design fixation

Demand characteristic

Strategies for managing demand characteristic

Design is not a static process.

It can be studied, supported, and improved.

Wicked problems

So if you care to find me / look to the western sky As someone told me lately / everyone deserves a chance to fly

"Math is easy. Design is hard."

Jeffrey Veen, former VP of Product Design at Adobe

Why is design hard?

Design: "The transformation of existing conditions into preferred ones" [Simon 1969]

What is it that makes design so hard to do well? Why is it hard to find preferred solutions that are actually better and creative?

Wicked problems

[Rittel and Webber 1973]

Wicked problems are problems whose requirements are contradictory or unknown: no global optimum

Conflicting perspectives & goals mean there is no "correct" solution:

Urban planning: I can widen the sidewalks, but this will create more traffic in the streets

Pedagogy: In CS 147, students simultaneously want to learn more design, and more technical depth—but nobody wants more work

Design + wicked problems

[Zimmerman, Forlizzi, and Evenson 2007]

Design is challenging because it must solve wicked problems.

Example: Wikipedia reduced the amount of spam it got, at the cost of pushing away many newcomers. It could be more welcoming to newcomers, at the cost of quality and spam.

Due to the conflicting perspectives and goals, traditional engineering methodologies will often fail.

Design + wicked problems

[Zimmerman, Forlizzi, and Evenson 2007]

Argument: designers' skill and practice is better tuned for wicked problems than traditional engineering approaches

"Enlightened trial and error succeeds over the planning of the lone genius." —Tom Kelley, IDEO

If traditional engineering approaches ask how we combine known facts and principles to solve a problem a priori, design praxis focuses on iteration as a means of exploring and learning

Design argues that we best learn about wicked problems through iterative feedback processes

Well, that's a downer...

What do we do when we're facing a wicked problem? Just knowing that it's wicked doesn't help me...

Step one: console yourself by telling your friends at parties that what you do is way harder than what they do, so they should think that you're cool. (This works for me 100% of the time.)

Step two: ensure that you've got the right perspectives represented either on your team or in the literature, and don't reinvent the wheel

Today:

Today: design patterns

participatory

design

Participatory design

What power should the designer have?

In the traditional design process, designers hold positions of power and status

They decide which stakeholders to engage with, how to prioritize each stakeholder's needs, and which design concepts to move forward with.

This power is a source of tension: synthesis is the designer's role and expertise, but it also also cuts out stakeholders from direct or indirect control

Participatory design

[Schuler and Namioka 1993; Mueller and Kuhn 1993]

A design process that de-centers the designer's role

Involve stakeholders in all phases of the design process:

Needfinding

Non-participatory design processes involve stakeholders most deeply here

Problem definition

Develop and focus ideas

Evaluation

Non-participatory design processes involve stakeholders most deeply here


Examples

Collaborating with gig workers to create a platform for online collective action [Salehi et al. 2015]

Working with patients and doctors to design translation systems for medical contexts [Deng et al. 2022]

Working with older adults to design health tracking applications [Davidson and Jensen 2013]





Elicitation studies


[Wobbrock and Morris 2009]


When entering a new design space (e.g., large multitouch tables, AR, mid-air interaction), how do we know which gestures would be the most effective for non-technical people?


Concept: tell people the command, and ask them to gesture in a way that they think should invoke that command. Then, look for agreement amongst these spontaneous gestures.

Elicitation studies

[Wobbrock and Morris 2009]







PD is not a panacea

[Harrington, Erete, and Piper 2019]

The design workshop is not a neutral ground

Status hierarchies cannot be erased, nor can trust be established, just by inviting people into a room

Design valorizes d.school-style creativity—not a skill taught or necessarily comfortable for underserved communities. "The crayons, markers and stuff... it's like an elementary school activity."

Design foregrounds blue-sky utopianism when underserved communities may simply be looking for pragmatic solutions

Needfinding doesn't solve this, either [Bennett and Rosner 2019]

We espouse (EMPATHIZE) as a designer's solution to knowing enough

about a stakeholder group to design with or for them


However, typical design strategies for EMPATHIZE can lend false

confidence and incorrect conclusions (e.g., blindfolds)

Oh no! Stuck between Scylla and Charybdis

Scylla: Trying to build empathy on your own creates major issues — you should bring stakeholders onto your team [Bennett and Rosner 2019]

Charybdis: But bringing stakeholders onto your team creates issues that prevent it from working too [Harrington, Erete, and Piper 2019]



Struggles in the classroom

[Roldan et al. 2020]

HCl education says "go out there and work with people!", but we often rely on convenience samples [Hui et al. 2014]

And even when students try to engage in participatory design...

The HCl students self-segregate and don't build relationships with other stakeholders

Students feel uncomfortable guiding co-design sessions: who's in charge here? Am I supposed to listen to them, or are they supposed to listen to me?

What ought we to do?

The trouble with design

Design is a praxis with many degrees of freedom, but also many ways to screw it up

Temptations to be different or creative can wind you up with terrible designs

How do we maintain breathing space for new ideas while not accidentally stepping off the ledge?

[Alexander 1977]

Originated in urban planning

"Each pattern describes a problem which occurs over and over again in our environment, and then describes the core of a solution to that problem, in such a way that you can use this solution a million times over, without ever doing it the same way twice."

[Alexander 1977]

"Metropolitan regions will not come to balance until each one is small and autonomous enough to be an independent sphere of culture": patterns include...

Community of 7000: not too many people, not too few people

Subculture boundary: e.g., SF Chinatown is bounded by the banking area

Identifiable neighborhood: < 500 people in local neighborhood units

Neighborhood boundary: subcultures in neighborhoods need restricted physical access

[Alexander 1977]

- "Establish community and neighborhood policy to control the character of the local environment": patterns include...
 - Four story limit: keep the majority of buildings <4 stories
 - No more than 9% of land dedicated to parking
 - Embellish sacred and meaningful sites in the neighborhood
 - Ensure that the community include a balance of people at every stage of the life cycle

[Alexander 1977]

A pattern language is a set of design patterns, collected together, organized, and connected to each other.

Connections to macro patterns

Focal pattern

Connections to micro patterns

Work community

Identifiable neighborhood

Quiet backs

Subculture boundary

Accessible Green

Positive outdoor space

Garden wall Tree places

Interaction design patterns

[van Duyne, Landay and Hong 2006]

Web design, much like urban planning, can be characterized by design patterns


Examples...

Distinctive HTML titles

Quick-flow checkout


Floating windows

News mosaics



Interaction design patterns

Web design also features pattern languages: very similar to a "design system" except design systems are focused lower level




Web design patterns

[Kumar et al., CHI '13]

Crawl the web and index large-scale design elements

Main idea: what happens to web design if we start data mining design patterns rather than user interaction data?




App design patterns


Collect a large dataset of Android app interaction traces


[Liu et al. 2018]

Query with a design, and find how others have developed similar designs


QUERY UI SEMANTIC UI











NEAREST NEIGHBORS


















Quantifying Visual Preferences

[Reinecke and Gajos 2014]

Online quiz about which web sites you like


Then analyzed sites to identify levels of, e.g., visual complexity that are preferred in different cultures




Dark design patterns

[Mathur et al. 2019]

Not all design patterns are good: **dark patterns** are strategies that designs use to coerce, steer, or deceive you into making a decision that its creators want




Forced enrollment



Pressure tactics

(applied to every item in the store)



Graying out the option to decline

Well, that's still a downer...

"Maneesh, you haven't solved the deep structural and socio-technical issues with the human-centered design process as centered in Western educational systems and capitalist industrialized societies."

Sorry. We're all working on it.

But we can intervene in nearly any part of this process if we have ideas.

Process intervention: dealing with fixation

Quantity or Quality?

[Bayles and Orland 2001]



Quantity or Quality?

[Bayles and Orland 2001]

"While the quantity group was busily churning out piles of work—and learning from their mistakes—the quality group had sat theorizing about perfection, and in the end had little more to show for their efforts than grandiose theories and a pile of dead clay"

Parallel prototyping


[Dow et al. 2010]

serial prototyping condition



parallel prototyping condition

FINAL



practice.

shed quarte

oidextrous is

agazine that

ires people a

sses involve

and thinking

is mostly driv

ne communit

issue offers a

opic. Previous include: Secr

The Future,

ers & Interface

Spring 200

Space

ord Universit Thinking.

EXTRI Designing.

er, Developing Join our magazine:

gateway

into

your design world.

We are

designe

not just

have cre

how the

MBI


A creative may

for creative peopl

DES

Processing.

Ambidextrous







light me


stanford university's

journal of design

People


sides


our brain



Are you

A journal about







AMBIDEXTROUS AMBIDEXTROUS

Come sha Disciplinary

venture...


Come g Hands I

other hand

Perspectives for the next decade!

Where are we going?

Parallel design -> more clicks



Process intervention: dealing with demand characteristics

Demand characteristics

[Dell et al. 2012]

Response bias due to signals in a study that indicate what the researcher is hoping to see: activating status differences



5x more preferred amongst low-status participants

Demand characteristics

[Dell et al. 2012]

The effect was so strong that with a foreign researcher and lowstatus participants, half of them preferred the researcher's lower quality video over the alternative higher-quality video

How many designs? [Tohidi et al. 2006]

Prior practice: create your prototype, then show it to people to get feedback. But is this really optimal?


Study design:

Method: show participants low fidelity prototypes for a redesigned smart thermostat and ask for feedback


Control: show participants just one design ("the best")

Treatment: show participants three designs

Measure: quantitative ratings of the design, as well as valence of the verbal feedback



Program	Summer on Vacation	▼
Morning	7:00 T 4:00 T	temperature
Day	1:00 T	IS V
Evening	5:00 T	16
Night	12:00 7:00 7	[5 V
Date	Time	Temperature
Jun 105 105 105 10	12H ON M DAM H	23





How many designs? [Tohidi et al. 2006]


"We found that when presented with a single design, users give significantly higher ratings and were more reluctant to criticize than when presented with the same design in a group of three."

Why?

Weakening demand characteristics







Summary

The design process is a set of structured activities meant to address problems in how we generate and develop ideas

These activities are well attuned to solving wicked problems, which feature contradictory or conflicting goals

Participatory design is a movement to decenter the designer's power in these activities. It offers many opportunities, but also many challenges.

Design patterns help us avoid reinventing the wheel.

We can intervene on these activities to address shortcomings in how we practice design: e.g., parallel prototyping and comparing multiple designs (to reduce design fixation and demand characteristics)

References

Alexander, Christopher. A pattern language: towns, buildings, construction. Oxford university press, 1977.

Bayles, David, and Ted Orland. Art & fear: Observations on the perils (and rewards) of artmaking. Image Continuum Press, 2001

Bennett, Cynthia L., and Daniela K. Rosner. "The Promise of Empathy: Design, Disability, and Knowing the" Other"." Proceedings of the 2019 CHI conference on human factors in computing systems. 2019.

Davidson, Jennifer L., and Carlos Jensen. "What health topics older adults want to track: a participatory design study." Proceedings of the 15th International ACM SIGACCESS Conference on Computers and Accessibility. 2013.

Deng, Wesley Hanwen, et al. "Beyond General Purpose Machine Translation: The Need for Context-specific Empirical Research to Design for Appropriate User Trust." arXiv preprint arXiv:2205.06920 (2022).

Dow, Steven P., et al. "Parallel prototyping leads to better design results, more divergence, and increased self-efficacy." ACM Transactions on Computer-Human Interaction (TOCHI) 17.4 (2010): 1-24.

Hui, Julie S., Elizabeth M. Gerber, and Steven P. Dow. "Crowd-based design activities: helping students connect with users online." Proceedings of the 2014 conference on Designing Interactive Systems. 2014.

Kumar, Ranjitha, et al. "Webzeitgeist: design mining the web." Proceedings of the SIGCHI Conference on Human Factors in Computing Systems. 2013

References

Liu, Thomas F., et al. "Learning design semantics for mobile apps." Proceedings of the 31st Annual ACM Symposium on User Interface Software and Technology. 2018.

Muller, Michael J., and Sarah Kuhn. "Participatory design." Communications of the ACM 36.6 (1993): 24-28.

Reinecke, Katharina, and Krzysztof Z. Gajos. "Quantifying visual preferences around the world." Proceedings of the SIGCHI conference on human factors in computing systems. 2014.

Rittel, Horst WJ, and Melvin M. Webber. "Dilemmas in a general theory of planning." Policy sciences 4.2 (1973): 155-169.

Roldan, Wendy, et al. "Opportunities and challenges in involving users in project-based HCI education." Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems. 2020.

Salehi, Niloufar, et al. "We are dynamo: Overcoming stalling and friction in collective action for crowd workers." Proceedings of the 33rd annual ACM conference on human factors in computing systems. 2015.

Schuler, Douglas, and Aki Namioka, eds. Participatory design: Principles and practices. CRC Press, 1993.

Simon, Herbert A. The Sciences of the Artificial. MIT press, 1969.

Tohidi, Maryam, et al. "Getting the right design and the design right." Proceedings of the SIGCHI conference on Human Factors in computing systems. 2006.

References

Van Duyne, Douglas K., James A. Landay, and Jason I. Hong. The design of sites: Patterns for creating winning web sites. Prentice Hall Professional, 2007.

Wobbrock, Jacob O., Meredith Ringel Morris, and Andrew D. Wilson. "User-defined gestures for surface computing." Proceedings of the SIGCHI conference on human factors in computing systems. 2009.

Zimmerman, John, Jodi Forlizzi, and Shelley Evenson. "Research through design as a method for interaction design research in HCI." Proceedings of the SIGCHI conference on Human factors in computing systems. 2007.